

**OFERTA LABORATORULUI**

**Laborator diagnostic microbiologic**

Nr. crt	Denumire analiza	Metoda de lucru	Analize fara acreditare RENAR (*)	Pret conform Ord. MS Nr.208/2012 (lei)	Timp de furnizare a rezultatului de la primirea probei
<b>BACTERIOLOGIE MEDICALA</b>					
1.	Exudat faringian -streptococ beta hemolitic -staphylococcus aureus -candida spp	Tratat de microbiologie clinica Dumitru Buiuc, Marian Negut Editura Medicala 2009	*	25	4 zile
2.	Coprocultura	idem	*	35	4zile
3.	Urocultura	idem	*	30	3zile
4.	Secretie plaga	idem	*	30	3zile
5.	Secretie oculara	idem	*	29	3zile
6.	Secretie otica	idem	*	30	3zile
7.	Secretie nazala	idem	*	24	3zile
8.	Secretie vaginala	idem	*	28	3zile
9.	Antibiograma	Metoda difuzimetrica	*	25	2zile
10.	Examen coproparazitologic	Parazitologie Medicala Simona Radulescu;Ed.All Bucuresti 2010	*	12	24 ore
<b>ANALIZA MICROBIOLOGICA A ALIMENTELOR</b>					
11.	Numararea coloniilor prin insamanatare in mediu de cultura agar la 30 °C	SR EN ISO 4833/2014	*	20	5zile
12.	Bacterii coliforme	SR ISO 4831/2009 SR ISO 4832/2009	*	25	5zile
13.	E.coli	SR ISO 7251/2009	*	25	5zile
14.	Stafilococ coagulazo pozitiv	SR EN ISO 6888-1/2002	*	25	4zile
15.	Salmonella	SR EN ISO 6579-2017	*	30	5zile
16.	Drojii si mucegaiuri	SR ISO 21527-1si2/2009	*	18	7zile

DIRECTIA DE SANATATE PUBLICA  
BISTRITA-NASAUD

17.	Enterobacterii	SR ISO 21528 -1/2017	*	25	5zile
		SR ISO 21528 -2/2017	*	25	2 zile
<b>ANALIZA MICROBIOLOGICA A APEI (apa potabila,apa minerala,apa de imbaiere)</b>					
18.	Numararea coloniilor prin insamanatare in mediu de cultura agar la 36 °C	SR EN ISO 6222:2004	*	20	3 zile
19.	Numararea coloniilor prin insamanatare in mediu de cultura agar la 22 °C	SR EN ISO 4833:2003	*	20	3 zile
20.	Bacterii coliforme	SR EN ISO 9308-1/2015	*	25	5zile
21.	E. coli	SR EN ISO 9308-1/2015	*	25	5zile
22.	Streptococi fecali(ENTEROCOCI)	SR EN ISO 7899-2/2002	*	25	5zile
23.	Pseudomonas aeruginosa	SR EN ISO 16266/2008	*	30	5zile
24.	Clostridium Perfringens	SR EN ISO 14189/2017	*	55	5zile
25.	Salmonella	SR ISO 6340/2017	*	80	7zile
26.	Prelevare probe de apa	19458/2007	*	35/proba	

<b>SEROLOGIE</b>					
27.	HIV test rapid	imuncromatografie	*	gratuit program national	2 zile
28.	HIV ELISA	tehnica imunoenzimatica ELISA	*		7 zile
29.	Ag HBs	tehnica imunoenzimatica ELISA	*	40	10zile
30.	HAV Ig M	tehnica imunoenzimatica ELISA	*	50	10zile
31.	HCV	tehnica imunoenzimatica ELISA	*	60	10zile

DIRECTIA DE SANATATE PUBLICA  
BISTRITA-NASAUD

<b>CONDITII DE IGIENA SECTOR CU PROFIL ALIMENTAR</b>					
32.	Maini personal	SR EN ISO 4833:2014 SR ISO21528-2/2008	*	40	6zile
33.	Recipienti, utilaje	SR EN ISO4833:2003 SR ISO 4832/2009	*	30	6zile
34.	Suprafete	SR EN ISO4833:2014 SR ISO 4832/2009	*	30	6zile
35.	Aeromicroflora	SR EN ISO 4833:2014 SR EN 21527-1/2009	*	25	6zile
<b>CONDITII DE IGIENA UNITATI SANITARE</b>					
36.	Eficienta sterilizarii	Ord. MS 961/2016	*	25	10zile
37.	Mentinerea sterilitatii	Ord. MS 961/2016	*	35	10zile
38.	Catgut chirurgical	Ord. MS 961/2016	*	18	10zile
39.	Solutii perfuzabile	Ord. MS 961/2016	*	30	10zile
40.	Conditii igienico sanitare	Ord. MS 961/2016	*	35	6zile
41.	Aeromicroflora	Ord. MS 961/2016	*	25	6zile

-Analizele notate cu \* nu sunt acreditate RENAR

-Tarifele sunt in conformitate cu Ord. MS nr 208/2012

Director executiv adjunct economic  
Ec. Stejerean Ioan

Coordonator laborator  
Dr. Duzinschi Antoaneta